



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

May 24, 2018

Joanna Holcombe  
Regulatory Specialist  
Arch Chemicals, Inc.  
1200 Bluegrass Lakes Parkway  
Alpharetta, GA 30004

Subject: Label and CSF Notification per PRN 98-10 – Addition of Alt CSF E-I to add water soluble packaging, and updated marketing claims  
Product Name: Enduraclean Tablets  
EPA Registration Number: 1258-1244  
Application Date: March 29, 2018  
Decision Number: 540642

Dear Ms. Holcombe:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10. The Antimicrobials Division (AD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10.

The label submitted with the application has been stamped “Notification” and will be placed in our records.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

The CSFs submitted with your application have been stamped “Notification” and placed in our files.

Please note that the record for this product currently contains the following CSFs:

- Basic CSF dated 3/6/2018
- Alternate CSF A dated 3/6/2018

- Alternate CSF B dated 3/6/2018
- Alternate CSF C dated 3/6/2018
- Alternate CSF D dated 3/6/2018
- Alternate CSF E dated 3/27/2018
- Alternate CSF F dated 3/27/2018
- Alternate CSF G dated 3/27/2018
- Alternate CSF H dated 3/27/2018
- Alternate CSF I dated 3/27/2018

Any CSFs other than those listed above are superseded/no longer valid.

If you have any questions, you may contact Donna Kamarei at (703)347-0443 or via email at [Kamarei.donna@epa.gov](mailto:Kamarei.donna@epa.gov).

Sincerely,

A handwritten signature in blue ink that reads "Demson Fuller, for". The signature is written in a cursive, flowing style.

Demson Fuller, Product Manager 32  
Regulatory Management Branch II  
Antimicrobials Division (7510P)  
Office of Pesticide Programs

Note to reviewer:  
[Items in brackets [AAA] are optional and may/may not be included on final label]  
{Items in braces {AAA} are for information purposes and will not appear on final label}

# ENDURACLEAN TABLETS

ACTIVE INGREDIENTS:

Trichloro-s-Triazinetrione .....	93.5%
Copper Sulfate pentahydrate* .....	1.5%
OTHER INGREDIENTS .....	5.0%
TOTAL .....	100.0%

[Available Chlorine.....84%]  
\*Metallic copper equivalent 0.38%

**KEEP OUT OF REACH OF CHILDREN**  
**[MANTENGASE FUERA DEL ALCANCE DE LOS NIÑOS]**

## DANGER [PELIGRO]

{Note to reviewer: Although this product has a “Danger” signal word, as per the EPA label review manual “The Agency may permit reasonable variations in the placement of the First Aid statement as long as the reference statement, “See First Aid (or Statement of Practical Treatment) on (identify appropriate panel)” appears on the front panel.” If the First Aid Statements are placed on the front panel of the final graphic label, the statement below will only refer to the Precautionary Statements:}  
See [left] [right] [back] [side] panel for Precautionary [and First Aid] Statements

Sold by:  
ARCH CHEMICALS, INC.  
1200 Bluegrass Lakes Parkway  
Alpharetta, GA 30004

EPA Reg. No. 1258-1244  
[Superscript Used in Lot Number]  
EPA Est. No. \_\_\_\_\_  
Net Wt \_\_\_\_\_

### NOTIFICATION

1258-1244

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

05/24/2018

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**DANGER:** Corrosive. Causes irreversible eye burns and skin irritation. May be fatal if inhaled. Harmful if swallowed.

- Do not get in eyes, on skin or on clothing. Wear safety goggles or face shield, and rubber gloves when handling this product. For additional skin protection, wear long sleeves and long pants.
- Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Open in a well-ventilated area. Do not breathe dust or vapor.
- Remove and wash contaminated clothing before reuse.

### FIRST AID

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**IF INHALED:** Move person to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration, preferably by mouth to mouth if possible. Call a poison control center or doctor for further treatment advice.

**IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

**Note to Physician:** Probable mucosal damage may contraindicate the use of gastric lavage.

**IN CASE OF EMERGENCY CALL: 1-800-654-6911**

### PHYSICAL AND CHEMICAL HAZARDS:

**DANGER.** If product is exposed to small amounts of water, it can react to cause explosion or the release of toxic gases. Do not add water to this product. Add only into water.

- Do not allow to become wet or damp before use.
- Do not remove floater or other dispensing device from water for more than five minutes if it contains a tablet or tablet residue.
- Can react with other materials, including other water treatment products, to cause fire, explosion, and the release of toxic gases.
- Keep all foreign matter, including other water treatment products, away from this product.
- Do not use this product in a floater or feeder that has been used with any other product.
- Do not allow this product to contact other water treatment products. If used with a skimmer, make sure skimmer is completely clean and free of residue from other water treatment products before putting this product in the skimmer.
- Strong oxidizing agent. This product can increase fire intensity.
- Keep away from heat and from flame and burning material (like a lighted cigarette).

*{Environmental hazards statement for containers less than 5 gallons (liquid) or 50 pounds (solid, dry weight) use first sentence. All others use full paragraph.}*

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish and aquatic organisms.

Do not discharge effluent containing this product into lakes, ponds streams estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authorities. For guidance contact your State Water Board or Regional Office of the EPA.

*{Household/residential use products}*

## **[STORAGE AND DISPOSAL**

*{Nonrefillable containers}*

[Keep this product dry in its tightly closed container when not in use. Store in a cool, dry, well-ventilated area. Keep away from heat or open flame. Nonrefillable container. Do not reuse or refill this container. Rinse empty container thoroughly with water to dissolve all material prior to disposal. Offer for recycling if available. If not, discard in trash. FOR DISPOSAL OF A CONTAMINATED OR DECOMPOSING PRODUCT SEE EMERGENCY HANDLING.]

*{Refillable containers}*

[Keep this product dry in its tightly closed container when not in use. Store in a cool, dry, well-ventilated area. Keep away from heat or open flame. Do not contaminate food or feed by storage or disposal or cleaning of equipment. FOR DISPOSAL OF A CONTAMINATED OR DECOMPOSING PRODUCT SEE EMERGENCY HANDLING. Refillable container. Refill this container with Trichloro-s-Triazinetrione and copper sulfate Pentahydrate only. Do not use this container for any other purpose. Rinse empty container thoroughly with water to dissolve all material prior to disposal. Offer for recycling if available. If not, discard in trash.]]

*{Non-residential/non-household use products}*

## **[STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

**Pesticide Storage:** Keep product in its tightly closed container when not in use in an area inaccessible to persons unfamiliar with its use. Store in cool, dry, well-ventilated area. Keep away from heat or open flame.

**Pesticide Disposal:** Pesticide waste is acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at your nearest EPA regional office for guidance.

### **Container Disposal:**

*{Nonrefillable containers}*

Nonrefillable Container. Do not reuse this container. Rinse empty container thoroughly with water to dissolve all material prior to disposal. Then, offer for recycling if available. If not, dispose of in a sanitary landfill or by procedures approved by state and local authorities.”

*{Refillable containers}*

Refillable Container. Refill this container with this product only. Do not use this container for any other purpose. Cleaning this container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. Rinse empty container thoroughly with water to dissolve all material prior to disposal. Then, offer for recycling if available. If not, dispose of in a sanitary landfill or by procedures approved by state and local authorities.]

**EMERGENCY HANDLING:** In case of contamination or decomposition – Do not reseal container. Immediately remove container to an open and well-ventilated outdoor area by itself. Flood with large amounts of water. Dispose of the container and any remaining contaminated material in an approved landfill area.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### READ THE PRECAUTIONARY STATEMENTS BEFORE USE.

[This product is designed to dissolve slowly, providing a steady source of available chlorine and copper in swimming pools to control the growth of algae, kill bacteria and destroy organic contaminants.]

**{all except 8 ounce slow dissolving sticks, 28 ounce supertabs, cartridges, disposable floater, universal floater}**

**METHOD OF APPLICATION:** Use in a floating dispenser, automatic chlorinator or feeder designed for this product, or place in skimmer.

**{8 ounce slow dissolving sticks; replaces above}**

**METHOD OF APPLICATION:** Use only for skimmer chlorination. Do not use in a floating dispenser, automatic chlorinator or feeder. Run the filter pump a minimum of eight hours daily.

**{28 ounce supertabs only; replaces above}**

**METHOD OF APPLICATION:** [brand name] are super sized for extended cleaning power. These convenient and easy to use tablets are formulated to protect against chlorine loss in direct sunlight and are used in skimmer baskets. They are designed to dissolve slowly providing a steady source of available chlorine (up to 2 weeks) for complete swimming enjoyment in your pool.]

**{Disposable floater containing 1" tablets only; replaces above}**

**METHOD OF APPLICATION:** [brand] Disposable Floaters are designed for simple one time use and treat up to 40,000 gallons of pool water. The 1" tablets inside the floater are formulated to protect pool water against chlorine loss and dissolve slowly providing a steady source of available chlorine for complete swimming enjoyment in your pool.

**{Universal floater cartridge containing 1" tablets; replaces above}**

**METHOD OF APPLICATION:** [[brand] Refillable Floaters] are convenient and easy to use, treating up to 40,000 gallons of pool water. The 1" tablets inside the floater are formulated to protect pool water against chlorine loss and dissolve slowly providing a steady source of available chlorine (up to one month) for complete swimming enjoyment in your pool.

Use with [brand] floater or feeders [made by [brand]]. In a clean pool with no visible algae, follow the feeder instructions. Make sure cartridge is completely clean and free of residue from other water treatment products before putting this product in the cartridge.]

**Do not allow this product to get damp or wet before use. Do not allow this product to contact other water treatment products.** [Use in a new chlorinating device or any device which has previously contained only this product or trichloro-s-triazinetrione.] [When] [If] placed in the skimmer, run the filter pump a minimum of eight hours daily.

[For crystal clear pool water, follow our 4 step pool care program: **Step 1: Test and balance pool water, Step 2: Sanitize, Step 3: Shock at least once a week, and Step 4: Add algacide as directed.**]

[For best results, follow a weekly program with our [brand] System. Consult your authorized [brand] dealer for advice on the system that best suits your pool and your lifestyle.] [Take a pool water sample to your authorized [brand] dealer regularly for a detailed water analysis.]

**DO NOT** Use in floaters or feeders that have been used with other water treatment products. Make sure skimmer is completely clean and free of residue from other water treatment products before putting this product in the skimmer.

**DO NOT** Throw [tablets {or} sticks] directly into pool.

**DO NOT** Permit [tablets {or} sticks] to contact plastic pool linings or metal objects.

**DO NOT** Use with any *other* tablets or sticks in the same skimmer, floater, or feeder.

**DO NOT** Use in any chlorinating device which has been used with other chlorinating compounds.

**DO NOT** Use bare hands when handling product.

**DO NOT** Mix with other products or dissolve before use.

**[DO NOT Pre-mix this product.] [Only add this product directly to your pool.]**

**[WATER BALANCE:** To provide optimum product performance, swimmer comfort and crystal clear water always maintain pH from 7.2 to 7.6, total alkalinity from 80 to 120 parts per million (ppm), and calcium hardness above 200 ppm. Test frequently using a [brand] test kit that measures all these ranges. Make any necessary adjustments promptly with the appropriate [brand] pool care products. Re-entry into treated pools is prohibited with chlorine levels above 4 ppm for risk of bodily injury.]

{or}

**[WATER BALANCE:** For best product performance, swimmer comfort and crystal clear water, use HTH pool care products to maintain the following water balance:

	Acceptable Range for Balance
pH	7.2-7.6
Total Alkalinity	80-120 ppm
Calcium Hardness	Above 200 ppm
Available Chlorine	1-4 ppm

Follow label directions for each product and allow each product to dissolve and disperse before adding additional products to the pool. Use a [brand] test kit that measures all these ranges. Re-entry into treated pools is prohibited with chlorine levels above 4 ppm for risk of bodily injury.]

**ROUTINE CHLORINATION:**

**{3 inch tablets}**

Add one tablet per 10,000 gallons of pool water every week or as often as needed to maintain a chlorine residual at 1.0 to 4.0 ppm.

**{1/2 ounce 1" tablets}**

Add four one-half ounce tablets per 10,000 gallons of pool water every other day or as often as needed to maintain a chlorine residual at 1-4 ppm.

**{8 ounce sticks}**

Add one stick per 10,000 gallons of pool water every week or as often as needed to maintain a chlorine residual at 1-4 ppm.

**{8 ounce slow dissolving sticks}**

Add one stick per 5,000 gallons of pool water every 2 weeks or as often as needed to maintain a chlorine residual at 1-4 ppm.

**{Pods}**

**[METHOD OF APPLICATION][HOW TO USE]:** For best results, see "WATER BALANCE" section above before treatment. Every 7 days, or as necessary to prevent pool problems, treat the pool by adding **[[one]][(1)][1] pod** per 10,000 gallons of water **[[or] [two]][(2)][2] pods** per 20,000 gallons of water every week or as often as needed to maintain a chlorine residual of 1 – 4 pm.

No. of PODS	POOL VOLUME IN GALLONS
1	10,000
2	20,000

**{following paragraph common to all except Disposable Floater, Universal Floater Cartridge, and 28 ounce Supertabs product designs}**

Follow "METHOD OF APPLICATION". This dosage may vary depending upon bather load, water temperature and other conditions. Pool must not be entered until the chlorine residual is 1-4 ppm as measured with a reliable test kit.

**{28 ounce Supertabs only}**

**USE ONLY IN SKIMMERS**

Ensure that the skimmer basket is free of any other chemicals, tablets, or residue prior to use. Place this product in the skimmer basket. Make sure skimmer basket is completely free of residue from other water treatment products before putting this product in the skimmer. This product is not recommended for use in vinyl-lined pools without an automatic timer on the pool pump. Pump should run a minimum of 8 hours per day, otherwise vinyl liner damage may occur. If chlorine residual goes above 4 ppm, reduce skimmer flow rate or daily pump operation time. If chlorine residual goes below 1 ppm, increase skimmer flow rate or daily pump operation time.

**{Disposable floater containing 1” tablets only}**

Do not attempt to open or refill this cartridge. Do not completely submerge cartridge. Do not mix with other products or dissolve before use.

1. To provide optimum product performance, swimmer comfort and crystal clear water, always maintain pH from 7.2 to 7.6, total alkalinity from 80 to 120 parts per million (ppm) and calcium hardness above 200 ppm. Test frequently using a reliable test kit that measures all of the above ranges. Adjust with appropriate product.
2. Shock treat with appropriate product [brand]. Follow label directions.
3. If water is unstabilized, stabilize with appropriate product [brand]. Follow label directions.
4. This product is marked in gallon increments from 5,000 to 40,000 gallons. To use this cartridge, punch out all feeder holes on both sides of cartridge up to and including the one corresponding to your pool's size. If pool is between sizes marked, punch out next higher hole. Make sure holes are punched out to allow free water flow through cartridge.
5. Punch out vent holes on both sides of cartridge. Place cartridge in pool. An eyelet has been provided on the cartridge so that you may secure it in the middle of the deep end of the pool if you desire.
6. Maintain free chlorine residual between 1-4 ppm. If chlorine is too low, punch out an additional hole on each side of the cartridge. If the chlorine is too high, seal one hole on each side of the cartridge with waterproof plastic tape.
7. The cartridge will float on its side to indicate the need for replacement. **DO NOT ATTEMPT TO OPEN OR REFILL THIS CARTRIDGE!**

**{Universal floater cartridge containing 1” tablets only}**

Use with [[brand] floater] {or} [feeders made by [brand]]. In a clean pool with no visible algae, follow the feeder instructions. Make sure cartridge is completely clean and free of residue from other water treatment products before putting this product in the cartridge.

**[FOR USE IN FLOATER:**

1. Cut off the air vent that sticks out at top of cartridge.
2. Punch a hole through the lowest indentation on each side of the cartridge and insert into the floater. Do not punch holes in bottom. If more chlorination is needed, punch as many holes as needed on each side starting at the lowest indentation and working up, until the pool's free chlorine residual reaches 1 – 4 ppm.]

**[FOR USE IN E-Z CHLOR FEEDER:**

1. Do not cut off the air vent at the top of the cartridge.
2. Punch all indentations on the bottom of the cartridge. Two cartridges may be needed to treat a pool of 30,000 gallons or more.
3. Make sure that the screw lid is on tight.
4. Punch a hole through the lowest indentations on three sides of the cartridge.
5. Insert cartridge into feeder. If more chlorination is needed, punch more holes on each side of the cartridge starting at the lowest indentation and working up until the free available chlorine residual remains within the range of 1 – 4 ppm.]

**[FOR USE IN GUARDEX FEEDER:**

1. Cut off the air vent that sticks up near the top of the cartridge.
2. Punch a hole through the lowest indentations up to watermark on three sides of the cartridge. Two cartridges may be needed to treat a pool of 30,000 gallons or more.
3. Insert the cartridge in the feeder, adjusting the cartridge height until the free available chlorine in the pool remains within the range of 1 – 4 ppm.]

**[TO REFILL CARTRIDGE:** 1. Remove absorbent package from cartridge before reuse. This packet is not required for pool care. 2. Fill cartridge with 4 lbs. of [[brand] Trichlor 1 inch Tablets]. **DANGER – Use only [[brand] Dry Chlorinator Tablets].**

**{all following items common to all product designs}**

**SHOCK TREATMENT:**

[As a preventative treatment, you must shock treat your pool once per week to prevent pool problems. In addition to weekly shock treatment, you must shock treat to remedy problems which may occur when bathing loads are high, water appears hazy or dull, unpleasant odors or eye irritation occur, after heavy wind and rainstorms, or if algae does develop with resulting green color and slimy feeling.]

Adjust pH to 7.2 to 7.4 [with [[brand pH Plus] or [brand pH Minus]]{or} [brand] pH adjusters] per label directions]. Shock treat weekly [with a product such as [product name]] to kill bacteria, control algae, burn out organic material and to keep water sparkling clear. Follow label directions.

**ALGAE CONTROL:** If pool surface develops algae or feels slippery, follow shock treatment directions. Immediately after shock treatment, thoroughly clean pool by scrubbing surface of algae growth, vacuum and cycle through filter. If necessary, repeat the procedure. Pool must not be entered until the chlorine residual is 1-4 ppm.

**OPENING YOUR POOL:** Balance pool water, shock treat, and stabilize your pool [using [brand] Stabilizer and Conditioner]. Then follow "ROUTINE CHLORINATION" directions.

[TO DETERMINE YOUR POOL CAPACITY IN U.S. GALLONS, USE THE APPROPRIATE FORMULA BELOW:  
(Use measurements in feet only)

**RECTANGULAR:** LENGTH X WIDTH X AVERAGE DEPTH X 7.5 =TOTAL GALLONS

**ROUND:** DIAMETER X DIAMETER X AVERAGE DEPTH X 5.9 = TOTAL GALLONS

**OVAL:** MAXIMUM LENGTH X MAXIMUM WIDTH X AVERAGE DEPTH X 5.9 = TOTAL GALLONS

**FREEFORM:** SURFACE AREA (SQ. FEET) X AVERAGE DEPTH X 7.5 = TOTAL GALLONS]

{BEGIN - Individual Water Soluble Package Label}

## ENDURACLEAN TABLETS

**ACTIVE INGREDIENTS:**

Trichloro-s-Triazinetrione .....	93.5%
Copper Sulfate pentahydrate* .....	1.5%
OTHER INGREDIENTS .....	5.0%
TOTAL .....	100.0%

\*Metallic copper equivalent 0.38%

**KEEP OUT OF REACH OF CHILDREN**  
**[MANTENGASE FUERA DEL ALCANCE DE LOS NIÑOS]**

## DANGER [PELIGRO]

EPA Reg. No. 1258-1244

See outer container for Precautionary Statements and Use directions.

{END - Individual Water Soluble Package Label}

{BEGIN OPTIONAL MARKETING CONTENT}

3-in-1 Action: Sanitizes, prevents algae, and clarifies water  
[2-in-1][Dual] Action: Sanitizes and prevents algae  
84% Available Chlorine  
Assists filtration  
Bacteria and algae control  
Blue crystals for algae protection  
[brand names] are [registered] trademarks of Arch Chemicals, Inc.  
[Chlorine lasts][Chlorinates] up to one week  
Clarifies pool water  
Concentrated chlorinator for routine use  
Contains a clarifier



Controls bacteria and algae  
Contamination or improper use may cause fire or explosion or the release of toxic gases. Do not allow product to contact any foreign matter, including other water treatment products. If product is exposed to small amounts of water, it can react to cause explosion or the release of toxic gases. *{The following optional statement is for use on residential use swimming pool products}* [Do not mix this product with a small amount of water. Only add directly to your pool.] Do not remove floater or other dispensing device from water for more than five minutes if it contains a tablet or tablet residue.

Convenient one week dosage  
Easy, economical, convenient to use  
Filter aid  
For [crystal clear], {or} Sparkling [blue] pool water  
For Pop-Up Pools



For routine use in automatic feeders, floaters and plastic skimmers  
Good for all pool surfaces  
Individually wrapped for easy handling *{except 1" tablets}*  
Innovative, patented exclusive technology  
Keeps pool water clean and crystal clear  
Kills [bacteria and] algae  
Kills bacteria and destroys organic contaminants  
Multipurpose tablet  
One [tablet][stick] treats 10,000 gallons *{except 1" tablets}*  
Power crystals clarify pool water  
Precipitating agent included  
Prevents bacteria and algae  
Produces sparkling clean swimming pool water  
Protects against bacteria and algae  
Regulates chlorine levels  
Restores clarity to pool water  
Sanitizer for swimming pool and pool water  
Sanitizes pool water

Enduraclean Tablets  
EPA Reg. No. 1258-1244  
EPA Draft Label 2018-03-29

Slow dissolving  
[Stabilized] [and/or] [sun protected] for extended chlorine life  
Stabilized chlorinator  
Stabilized sanitization



{or}

Sun resistant for extended chlorine life  
Swimming pool sanitizer  
Totally soluble

**{Value Claims}**

1 extra month of tablets  
4 free tablets  
4% more free  
Bonus Pack  
Extra 1.75 pounds free  
Extra Value  
[Now ] 4 more weeks of sanitizer  
Now 43 lbs.  
[Now] treats 40,000 more gallons of water  
Now XX lbs.  
Value Pack

**{8 oz slow dissolving sticks}**

Chlorinates up to two weeks  
Contains CCT\* {footnote} \*Clear Care Technology  
Controlled Delivery System  
Controlled release  
Controls erosion rate of product  
Convenient two week dosage  
Corrosion Inhibitor  
Enhanced filter performance  
Extended sanitization for up to 14 days  
Featuring ClearCare Technology  
For skimmer use only  
Gentle on Equipment and Liners  
Multi-action sticks  
One stick treats 5,000 gallons  
Prevents algae  
Prevents metal staining and corrosion  
Protection for Pool Surfaces and Equipment  
Sequestering Agent  
Slow dissolve  
Softens Water  
Reduces scale formation  
Will not cause bleached liners

**{28 oz Supertabs only}**

Chlorinates up to two weeks  
Convenient two week dosage

**{Disposable floater containing 1" tablets}**

Can last up to one month  
Convenient one-time use  
Tilts when empty  
Treats up to 40,000 gallons

**{Universal floater cartridge containing 1" tablets}**

Can last up to one month  
For use with trichlor products  
Treats up to 40,000 gallons

**{Optional statements for 4-step programs}**

Step 1: Balance  
Step 2: Sanitize  
Step 3: Shock  
Step 4: Prevent Algae

**{Optional statements for Dealer Retail Brands}**

Step 1 Sanitize  
Step 2 Shock  
Step 3 Add Pool Plus  
Step 1 Sanitize [it]  
Step 1 of the POOLIFE Brite Stix System  
Step 2 Shock [it]  
Step 3 Add Pool Plus or Defend+  
Step 1 of a 3 step system

*{The "[Brand or POOLIFE] 3-Step System" below may be placed on the label to allow easy product identification by consumers.}*

[Brand or POOLIFE] 3-Step System:]

[Step] [1] [Sanitize [It!]] [POOLIFE Exclusive Pool Care Collection MPT Extra][POOLIFE Exclusive Pool Care Collection Brite Stix] [POOLIFE Exclusive Pool Care Collection Active Cleaning Caplets Chlorinator]

[Step] [2] [Shock [It!]] [POOLIFE Exclusive Pool Care Collection TurboShock Shock Treatment]

[Step] [3] [Defend [It!]] [POOLIFE Exclusive Pool Care Collection Defend +]



**WHY YOU SHOULD USE THIS PRODUCT:** This product is an effective multi-purpose sanitizer & shock that protects water against chlorine loss optimizing usage and comfort with no sediment. This product is convenient and easy to use to control the growth of algae, kill bacteria and destroy organic materials.

For crystal clear pool water, follow our [brand] **4 step pool care program:**  
Step 1: Test and adjust pool water balance, Step 2: Sanitize, Step 3: Shock treat your pool at least once a week, and Step 4: Add algaecide weekly.

**{PODS ONLY}**

[Add] A dose of ease  
1 pod treats XXXX gallons



2 pods treats XXXX gallons

1 Pod = 8 oz.

Add just the right amount, every time!

Compact

Dissolves completely in any water temperature

Dissolves quickly

Do not cut pods



Easy application

Innovation that truly delivers  
It's a pleasure to measure  
Mono-dose  
More compact packaging  
New form, same performance  
New look, same performance  
No measure  
No measuring  
No mixing  
No need to measure or pour messy powders or liquids  
No spill  
Pre-Measured  
Pre-Measured water soluble pods  
Pre-Measured: Add just the right amount, every time!  
Quick and Easy Application  
Quick application  
Simple dosing  
Single dose  
Spill-free  
Takes up less space  
Unit Dose  
Unit Dose Water Soluble Pods  
Water Soluble Pods

**{Heritage Claims/Logos}**

90 Years of Clear Pools

90 Years of Perfect Pools

90 Years of Pool Expertise

[Here to Help] [since 1928]

Pool [Care] Experts since 1928



{END OPTIONAL MARKETING CONTENT}